

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	(398/73).CCLS.	USPAT	OR	OFF	2005/08/11 13:23
S2	38	(398/74).CCLS.	USPAT	OR	OFF	2005/08/11 13:24
S3	178	(398/135).CCLS.	USPAT	OR	OFF	2005/08/11 13:24
S4	45	(398/138).CCLS.	USPAT	OR	OFF	2005/08/11 13:24
S5	195	(398/139).CCLS.	USPAT	OR	OFF	2005/08/11 13:24
S6	180	(398/164).CCLS.	USPAT	OR	OFF	2005/08/11 13:24
S7	57	(398/166).CCLS.	USPAT	OR	OFF	2005/08/11 13:24
S8	104	(398/197).CCLS.	USPAT	OR	OFF	2005/08/11 13:24
S9	273	(optoelectronic\$1 or opto\$1electronic) same transceiver\$1 same interfac\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 14:25
S10	3	(filter near\$3 control\$5) and S9	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 13:28
S11	56	(bus) and S9	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 13:44
S12	35	S11 and address\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 13:48
S13	301	(giga\$bit or gigabit) adj interface	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 16:12
S14	183	S13 and address\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 13:49
S15	72	S14 and filter\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 13:53
S16	17	S15 and bias\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 13:50
S17	55	S15 not S16	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 13:53
S18	127	((giga\$bit or gigabit) adj interface) same (optical or opto\$1electronic\$1 or optoelectronic)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 13:55
S19	1384	(385/88).CCLS.	USPAT	OR	OFF	2005/08/11 14:25
S20	987	(385/92).CCLS.	USPAT	OR	OFF	2005/08/11 14:25
S21	85	S19 and (optoelectronic\$1 or opto\$1electronic) same transceiver\$1	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 14:28

S22	88	S20 and (optoelectronic\$1 or opto\$1electronic) same transceiver\$1	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 16:11
S23	435	(transceiver\$1) same (laser near3 driv\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 16:12
S24	146	(giga\$bit or gigabit) and S23	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/11 16:12
S25	1	("20020149821").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/14 13:02
S26	2	((("6607307") or ("6912361")).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/14 13:01
S27	42	(laser with driver) same gbic	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/14 13:02
S28	146	(laser near3 driver\$1) with transistor\$1	USPAT	OR	OFF	2005/08/14 14:07
S29	51	S28 and (fet\$1 or (field adj effect\$1))	USPAT	OR	OFF	2005/08/14 14:10
S30	2180	filter\$1 with (fet\$1 or (field adj effect\$1))	USPAT	OR	OFF	2005/08/14 14:10
S31	849	filter\$1 near5 (fet\$1 or (field adj effect\$1))	USPAT	OR	OFF	2005/08/14 14:11
S32	0	rosa with filter\$1 with (fet\$1 or (field adj effect\$1))	USPAT	OR	OFF	2005/08/14 14:11
S33	0	rosa same filter\$1 same (fet\$1 or (field adj effect\$1))	USPAT	OR	OFF	2005/08/14 14:12
S34	105320	filter\$1 with resist\$4 with capacit\$4 (fet\$1 or (field adj effect\$1))	USPAT	OR	OFF	2005/08/14 14:12
S35	2904	S34 and transceiver\$1	USPAT	OR	OFF	2005/08/14 14:12
S36	0	S35 and (tosa with rosa)	USPAT	OR	OFF	2005/08/14 14:13
S37	5	S35 and (gbic)	USPAT	OR	OFF	2005/08/14 14:13
S38	4	((("20020181894") or ("20040120720") or ("20040240886") or ("5047835")).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/14 14:17
S39	3438	(optoelectronic\$1 or opto\$1electronic\$1) with laser	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 10:52
S40	352	S39 and serial	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 10:52
S41	8517	data near5 clock near5 serial	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 10:26

S42	4	S39 and S41	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 10:26
S43	27	S40 and gbic	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 10:38
S44	1	(optoelectronic\$1 or opto\$1electronic\$1) with laser with bus	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:46
S45	180	S39 and bus	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 10:53
S46	175	S45 not S43	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 10:53
S47	188	(optoelectronic\$1 or opto\$1electronic\$1) same giga\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:47
S48	19	S47 and command\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:48
S49	0	(serial adj bus) near5 command\$1 and S39	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:49
S50	77028	(serial adj bus) near5 command\$1 smae transceiver\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:49
S51	9	(serial adj bus) near5 command\$1 same transceiver\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:50
S52	3	(serial adj bus) near5 command\$1 same laser	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:52
S53	6811	(adjust\$3 or control\$3) same laser same command\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:53
S54	0	S53 and transceiver41	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:53
S55	318	S53 and transceiver\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:53
S56	191	S55 and serial	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:53
S57	143	S56 and bus	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:56

S58	11	gbic same command\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:57
S59	12	gbic same ((control\$3 or bias\$3) with laser)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/15 13:58
S60	261	((digital adj1 analog) or (digital\$2analog)) near5 transistor\$1	USPAT	OR	OFF	2005/08/15 15:35
S61	0	S60 and gbic	USPAT	OR	OFF	2005/08/15 15:34
S62	11	S60 and transceiver\$1	USPAT	OR	OFF	2005/08/15 15:34
S63	18	((digital adj1 analog) or (digital\$2analog)) with (compris\$3 or consist\$3) near1 transistor\$1	USPAT	OR	OFF	2005/08/15 15:56
S64	124	bus near5 interface near5 (two-wire\$1)	USPAT	OR	OFF	2005/08/15 16:02
S65	15	S64 and transceiver\$1	USPAT	OR	OFF	2005/08/15 15:58
S66	2	gbic same two-wire\$1	USPAT	OR	OFF	2005/08/15 16:02
S67	1	("20020149821").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/16 11:29
S68	0	S67 and filter\$3	USPAT	OR	OFF	2005/08/16 11:56
S69	0	S67 and diode\$1	USPAT	OR	OFF	2005/08/16 11:57
S70	0	S67 and pin	USPAT	OR	OFF	2005/08/16 11:58
S71	1	S67 and diode\$1	US-PGPUB; USPAT	OR	OFF	2005/08/16 12:03
S72	0	S67 and filter\$3	US-PGPUB; USPAT	OR	OFF	2005/08/16 12:03
S73	0	S67 and transistor\$3	US-PGPUB; USPAT	OR	OFF	2005/08/16 12:03